

cojcs

Attorney Docket No. 1344.1122

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:

Yuji TOCHIO, et al.

Application No.: 10/643,895

ATTENTION

Confirmation No.: 4672

CERTIFICATE OF CORRECTION

Filed: August 20, 2003

BRANCH

Certificate

U.S. Patent No.: 7,398,019

SEP 12 2008

Issued: July 8, 2008

of Correction

For: CONTROL APPARATUS AND CONTROL METHOD OF OPTICAL SIGNAL EXCHANGER

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

Sir:


Patentees respectfully request that a Certificate of Correction be issued in the subject patent, pursuant to 35 USC § 254 and 37 CFR § 1.322, to correct the errors shown on the attached Form PTO-1050. A check in the amount of \$100 to cover the cost of the Certificate is attached.

One or more of the errors shown on the attached Form PTO-1050 is or are within the responsibility of the undersigned; each thereof is of a clerical or typographical nature or of minor character and occurred in good faith, and the correction thereof is consistent with the prosecution record.

Respectfully submitted,

STAAS & HALSEY LLP

Date: 9-8-08

By: 
John C. Garvey
Registration No. 28,607

RECEIVED-USPTO
Patent Publication

SEP 12 2008

1201 New York Ave, N.W., 7th Floor
Washington, D.C. 20005
Telephone: (202) 434-1500
Facsimile: (202) 434-1501

09/10/2008 MAIL ROOM RECEIVED

01 FC:1811

100.00 OP

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO : 7,398,019

DATED : July 8, 2008

INVENTOR(S) : Yuji TOCHIO, et al.

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Column 20, Line 1, change "2n\" to --2n--.

Column 21, Line 46, after "resonance" insert --action--.

Column 21, Line 52, after "resonance" insert --action--.

Column 22, Line 30, after "resonance" insert --action--.

MAILING ADDRESS OF SENDER:

STAAS & HALSEY LLP
1201 New York Avenue, N.W.
7th Floor
Washington, DC 20005

PATENT NO. 7,398,019

No. of add'l copies
@ 304 per page

RECEIVED-USPTO
Patent Publication

SEP 12 2008